


Georgian

DVP3203
DVP3205



Warning

All electrical connections must be made according to local codes. If you feel you do not have the experience necessary to do this, please have your fixture installed by a qualified, licensed electrician.

Make sure to note the maximum recommended wattage for your light fixture. DO NOT EXCEED THE RECOMMENDED WATTAGE:

DVP3203 - 3 x 100 W Medium Base

DVP3205 - 3 x 100 W Medium Base


Cleaning

We recommend that you use a mild detergent, such as dish washing soap, and warm water to clean the glass and metal surfaces. After cleaning, make sure to dry the fixture completely because moisture will corrode the satin finish. Use a damp soft cloth to wipe off dust. DO NOT USE abrasive pads or cleaning materials.

During installation, some fixtures may require subtle adjustments in order for the fixture to look as intended.

Tools

Phillips head screwdriver




DVI
LIGHTING INC
WWW.DVCANADA.COM

DVI Lighting
120 Great Gulf Drive, Concord
Ontario, L4K 5W1
Canada
Tel: (905) 660 5600
Fax: (905) 660 5714




5YR
warranty
Garantie de 5ans


1






2



3




4
....



- A. Copper ground wire to ground wire - If you only have two wires coming from the electrical box, connect the fixture's copper wire to the green ground screw on the mounting plate.
- B. Ribbed Wire to White Supply Wire
- C. Black Fixture Wire to Black Supply Wire

5
....



DVI
LIGHTING INC
WWW.DVCANADA.COM

DVI Lighting
120 Great Gulf Drive, Concord
Ontario, L4K 5W1
Canada
Tel: (905) 660 5600
Fax: (905) 660 5714




5YR
warranty
Garantie de 5 ans

These instructions are property of DVI Lighting. Do not copy or reproduce.

Georgian

DVP3203
DVP3205



Avertissement:

Risque d'incendie et de choc électrique. Ce produit doit être installé par un electricien qualifié et certifié. Votre filerie doit être conforme aux codes locaux et nationaux. Si vous n'avez que deux fils dans votre boîte électrique, vissez le fil en cuivre sur la barre transversals de l'appareil.

Ne pas excéder le wattage recommandé:


DVP3203- 3 x 100W ampoule à culot moyen maximum.
DVP3205- 3 x 100W ampoule à culot moyen maximum.

Nettoyage:

Épousseter, pour nettoyer le verre à fond, laver à la main avec un savon doux et assécher immédiatement pour retenir le fini satiné. N'utilisez pas de produits abrasif ou chimique.

Instrument

Phillips tournevis




DVI
LIGHTING INC
WWW.DVCANADA.COM

DVI Lighting
120 Great Gulf Drive, Concord
Ontario, L4K 5W1
Canada
Tel: (905) 660 5600
Fax: (905) 660 5714




5YR
warranty
Garantie de 5 ans


1.





2.




3.




4
....



- A. Fixez le fil de terre en cuivre à la mise à la terre. S'il n'y a que deux fils qui sortent de la boîte de sortie électrique, fixez le fil en cuivre de l'appareil d'éclairage à la vis de terre en vert de la Barre Transversale.
- B. Brancher le fil blanc au fil à nervures(neutre) de la fixture.
- C. Brancher le fil noir au fil rude(sous tension) de la fixture.



5
....



DVI
LIGHTING INC
WWW.DVCANADA.COM

DVI Lighting
120 Great Gulf Drive, Concord
Ontario, L4K 5W1
Canada
Tel: (905) 660 5600
Fax: (905) 660 5714



5YR
warranty
Garantie de 5 ans

Ces instructions sont la propriété de DVI éclairage. Ne pas copier ou de reproduire.